


100


FIG. 1

Figure 2



CoagClinic

[Home](#) | [Clinic](#) | [Patient](#) | [Reports](#) | [Tools](#) | [Log Off](#) | [Help](#)



STANTON STONE

- Patient Search**
- New Patient
- New Visit
- Patient Summary
- Preferences
- Overdue Patients
- Patient Schedule
- Visit Addendum
- Ad-Hoc Reports
- Patient Education

Hello Al Bartosic

The date is 10/22/01

CoagClinic records indicate that there are
1 patient(s) scheduled for today
and
19 overdue patient(s)
and
3 followup Call patient(s)

Patient Search

Clinic	CoagClinic
Patient Last Name:	
Patient First Name:	
Medical Record Number:	
Social Security Number	
Patient ID.	

Figure 3

CoagClinic

Home | Clinic | Patient | Reports | Tools | Log Off | Help

STANDINGTON

Left Sidebar Menu:

- Patient Search
- New Patient
- New Visit
- Patient Summary
- Preferences
- Overdue Patients
- Patient Schedule
- Visit Addendum
- Ad-Hoc Reports
- Patient Education

Main Content Area:

Hello Al Bart

The date is 11/11/2009

CoagClinic reports that there are:

- 1 patient(s)
- and 19 overdue
- and 3 followup

Dropdown Menu (Patient):

- Patient Search
- New Patient
- New Visit
- Visit Addendum
- Patient Summary
- Overdue Patients
- Patient Schedule
- Patient Education

Patient Search Form:

Clinic: CoagClinic

Patient Last Name:


Patient First Name:

Medical Record Number:


Social Security Number:

Patient ID:

Figure 4

**CoagClinic**

Home | Clinic | Patient | Reports | Tools | Log Off | Help


STANDALONE

Patient Search
New Patient
New Visit
Patient Summary
Preferences
Overdue Patients
Patient Schedule
Visit Addendum
Ad-Hoc Reports
Patient Education


Select Visit
4/27/01 INR 3.5
7/20/01 INR 4
8/21/01 INR 3.5
8/23/01 INR 4
9/13/01 INR 1.1
9/19/01 INR 4

Addendum Entry


Progress Notes

Comments for Patient

Figure 5


CoagClinic

[Home](#) | [Clinic](#) | [Patient](#) | [Reports](#) | [Tools](#) | [Log Off](#) | [Help](#)



 ST. MARY'S


Coag Clinic Overdue Patients:

<u>DATE</u>	<u>NAME</u>	<u>PHONE</u>	<u>CLINIC</u>	<u>REPORT</u>
9/5/01	Barleycorn, John	515-822	4	(675) 888 7677
9/11/01	Smith, Sally	000 000-02	2.8	()
9/21/01	Brentwood, Albert	548-69-5	1.1	(501) 885 - 9654
9/21/01	Reese, Alicia	123-456-78	4	(888) 766 - 9988
9/21/01	Wallace, Edna	115-45-5	1.2	(707) 987 - 6656
9/24/01	Smith, George	123 45-6	2.8	()
10/22/01	Jones, Susan	452-63-5	1.2	(816) 822 - 2432
10/3/01	test1, first	123-456-00	2.5	()
10/16/01	Alfred, Baker	121-121-12	12	()


[Patient Search](#)
[New Patient](#)
[New Visit](#)
[Patient Summary](#)
[Preferences](#)
[Overdue Patients](#)
[Patient Schedule](#)
[Visit Addendum](#)
[Ad-Hoc Reports](#)
[Patient Education](#)

[Help](#)

Figure 6

**CoagClinic**

Home | Clinic | Patient | Reports | Tools | Log Off | Help


STAMLING.COM

Patient Search
New Patient
New Visit
Patient Summary
Preferences
Overdue Patients
Patient Schedule
Visit Addendum
Ad-Hoc Reports
Patient Education

Hello Al Bartosic

The date is 10/22/01

CoagClinic records indicate that there are
1 patient(s) scheduled for today
and
19 overdue patient(s)
and
3 followup Call patient(s)

Patient Summary
Physician Summary
Clinic Summary
Ad-Hoc

Patient Search

Clinic:

Patient Last Name:

Patient First Name:

Medical Record Number:

Social Security Number:

Patient ID:

CoagClinic CholesterolClinic DMClinic HemeClinic All Clinics

Fields User Data Criteria Sorting Grouping Stored Reports My Reports

Category	Field	
Patient Information	Gender	Delete
Patient Information	First Name	Delete

Category: Patient Information Field: Last Name Add

Help

Report Type: Standard Page Orientation: Portrait

Run Clear Save Help

Figure 7a

CoagClinic CholesterolClinic DMClinic HemeClinic All Clinics

Fields User Data Criteria Sorting Grouping Stored Reports My Reports

Report Title: INR Compliance Report

Report Footer Text

Help

Report Type: Standard Page Orientation: Portrait

Run Clear Save Help

Figure 7b

☐ CoagClinic
 ☐ CholesterolClinic
 ☐ DMDClinic
 ☐ HemeClinic
 ☐ All Clinics

Category	Field	Condition	Value	
Visit Information	Visit Date	Less Than	5/5/1999	Delete

Category	Field	Condition	Value	
Patient Information	Last Name	Contains	Jones	Add

Report Type:
 Page Orientation:

Figure 7c

☐ CoagClinic
 ☐ CholesterolClinic
 ☐ DMDClinic
 ☐ HemeClinic
 ☐ All Clinics

Selected Field to Sort By: Order:

Last Name	Ascending	Delete
First Name	Ascending	Delete

Visit Date	Descending	Add
------------	------------	-----

Report Type:
 Page Orientation:

Figure 7d

☐ CoagClinic
 ☐ CholesterolClinic
 ☐ DMClinic
 ☐ HemeClinic
 ☐ All Clinics

Fields	User Data	Criteria	Sorting	Grouping	Stored Reports	My Reports
Selected Field to Group By Order						
<div> <input type="text" value="First Name"/> <input type="text" value="Ascending"/> <input type="button" value="Delete"/> </div>						
<div> <input type="text" value="Last Name"/> <input type="text" value="Descending"/> <input type="button" value="Add"/> </div>						
<input type="button" value="Help"/>						

Report Type Page Orientation

Figure 7e

☐ CoagClinic
 ☐ CholesterolClinic
 ☐ DMClinic
 ☐ HemeClinic
 ☐ All Clinics

Fields	User Data	Criteria	Sorting	Grouping	Stored Reports	My Reports
<div> <input type="text" value="INR Compliance Report"/> <input type="button" value="Retrieve"/> </div>						
<div> <input type="text" value="Patient Visit Report"/> </div>						
<input type="button" value="Help"/>						

Report Type Page Orientation

Figure 7f

CoagClinic CholesterolClinic DMClinic HemeClinic All Clinics

Fields User Data Criteria Sorting Grouping Stored Reports **My Reports**

INR Compliance Report
Patient Visit Report

Retrieve


Help

Report Type: Standard Page Orientation: Portrait


Run Clear Save Help

Figure 79

Figure 8

**CoagClinic**

Home | Clinic | Patient | Reports | Tools | Log Off | Help


STANDINGSTONE

Patient Search
New Patient
New Visit
Patient Summary
Preferences
Overdue Patients
Patient Schedule
Visit Addendum
Ad-Hoc Reports
Patient Education

Hello Al Bartosic

Preferences

The date is 10/22/01

CoagClinic records indicate that there are:
1 patient(s) scheduled for today
and
19 overdue patient(s)
and
3 followup Call patient(s)

Patient Search

Clinic: CoagClinic

Patient Last Name:

Patient First Name:

Medical Record Number:

Social Security Number:

Patient ID:

Search Reset

Figure 9a

Home

Clinic

Patient

Reports

Tools

Log Off

Help

Patient Last Name

Patient First Name

Social Security #:

Medical Record #:

More Information

Balistic

Albert

123-45-6789

111-44-5

☒ Priority Patient

Physician

Office

Office Phone

Office Fax

More Information

Barnes, Terrence

Surgery

(383) 838-3528

(298) 347-2389

More Information

Primary Diagnosis

Secondary Diagnosis

I N R Goal

(Range = Goal +/- .5)

Treatment Start Date

Followup Due:

Patient Events:

Atrial Fibrillation / 427 31 - Sep 1999

Atrial Flutter / 427 32 - Aug 2001

Blood in Stool - Aug 2000

D V T / 453 9 - Jul 1992

D V T / 453 9 - Sep 2001

Available Events

Anemia, Postmenstrual / 285 1

Aneurysm of Atrial Septum / 414 1

Angina Pectoris / 413

Antiphospholipid Ab Syndrome / 286 5

Aortofemoral Bypass / 459 9

Abnormal Coagulation Profile / 790 92

D.V.T / 453 9

2.5

+/-

Calendar

5/10/98

10/25/01

Treatment End Date

10/25/01

Del

Month/Year

...Month...

...Year...

Add

Help


Next Section

Figure 9b


Visit Date 10/09/2001	B/P 140 / 85	Weight (lbs) 185	Height (inches) 72	Temp (deg F) 98.6	Pulse 80
Test Location In Clinic (CPT 85610QW)	Visit Type Clinic Visit (CPT 99211)	On LMWH? <input type="checkbox"/>	Warfarin Type Generic		
Visit history		INR 3.4	Protine	Dosage Size 3 mg	
Current Warfarin Regimen (doses are in milligrams/day)					
Sun 3	Mon 6	Tues 6	Wed 6	Thurs 3	Fri 6
Sat 6	Total/Wk 36				
1. Adjust the above values as needed to account for missed doses or other recent events. To obtain a new warfarin dose schedule, click the button labelled "Calculate New Warfarin Dose".					
Calculate New Warfarin Dose			ACCP Guidelines		
New Warfarin Regimen (doses are in milligrams/day)					
Sun 6	Mon 4.5	Tues 4.5	Wed 4.5	Thurs 4.5	Fri 4.5
Sat 4.5	Total/Wk 33				
2. Adjust the values in the new warfarin regimen if needed.					
					Reset
					Help
					Next Section

<input checked="" type="checkbox"/> Patient instructed regarding medication; results given and questions answered. <input checked="" type="checkbox"/> Nutritional counseling given. Dietary factors affecting therapy addressed <input checked="" type="checkbox"/> Patient instructed to monitor for excessive bruising or bleeding.			
Return In 5 days	Calendar	Visit Due Date: 09/14/2001	Visit Time: 7:00 a.m.
Progress Notes:	Patient Progressing Well. Return in five days for follow up		
Comments for Patient:	Good progress. Continue to take your warfarin as prescribed and please call if you cannot keep your follow up appointment		
		Help	Next Section

Figure 9c



[Home](#)
[Clinic](#)
[Patient](#)
[Reports](#)
[Tools](#)
[Log Off](#)
[Help](#)



[Patient Search](#)
[New Patient](#)
[New Visit](#)
[Patient Summary](#)
[Preferences](#)
[Overdue Patients](#)
[Patient Schedule](#)
[Visit Addendum](#)
[Ad-Hoc Reports](#)
[Patient Education](#)

Current Medical Regimen

Medication	Dose	Units	#	Frequency	Route	
Select from below						+ Add
acebutolol						Del
Amiodarone						Del
Aspirin						Del
Atorvastatin						Del

[Help](#)
[Next Section](#)

Medical History

Patient diagnosis

- Anemia, chronic dis / 280 0
- Coronary Artery Bypass Graft / V45 81

Available diagnosis

- Abnormal Coagulation Profile / 790 32
- Abnormal Pap / 795
- Alcoholism / 303
- Allergic Rhinitis / 477 9
- Anemia, chronic dis / 280 0

Allergies

Patient Allergies

- Chocolate
- Iodine
- Milk

Available Allergies

- Animal dander
- Bee stings
- Berries
- Cat dander
- Citrus fruit

Social History

Patient Social History

- Denies recreational drug use
- Drinks 1 oz/Elch daily
- Exercises regularly

Available Social History

- Does not smoke
- Does not use Elch
- Smokes 1 ppd

Family History

Patient Family History

- Father Alcoholism / 303
- Mother Angina, Prinzmetal / 413 1


Relationship

- Select from below


Available Family History

- Abnormal Coagulation Profile / 790 32
- Abnormal Pap / 795
- Alcoholism / 303
- Allergic Rhinitis / 477 9
- Anemia, chronic dis / 280 0

Figure 9d


CoagClinic

[Home](#) | [Clinic](#) | [Patient](#) | [Reports](#) | [Tools](#) | [Log Off](#) | [Help](#)



Patient Search
[New Patient](#)
[New Visit](#)
[Patient Summary](#)
[Preferences](#)
[Overdue Patients](#)
[Patient Schedule](#)
[Visit Addendum](#)
[Ad-Hoc Reports](#)
[Patient Education](#)

Patient Education Checklist

Date of Education: 10/22/2001

Other Documents: - Select from below [View](#)

[Main Education List](#)

[Help](#)

[Next Section](#)

Additional Test Results

Test	Date	Results	Comments
Add			

[Help](#)

[Next Section](#)

Click button to access module to assist with administration of Low Molecular Weight Heparin

[Low Molecular Weight Heparin](#)

[LMW Heparin Information](#)

[Help](#)

[Next Section](#)

Figure 9e

Click button to access module to assist with administration of Low Molecular Weight Heparin

Hide LMW Heparin

Reason for LMW Heparin administration

Desired intensity of anticoagulation

Desired LMW Heparin preparation

Anticipated duration of LMW therapy

Patient weight (Kg) Anti-Xa level Test performed hours after last heparin dose

Creatinine Date done

To calculate a possible LMW Heparin regimen, click the Calculate Regimen button

Calculate Regimen

Based on the data provided above, consider the following dose regimen

Medication:

Dose:

Frequency:

Notes

- ☐ Patient instructed regarding medication, results given and questions answered
- ☐ Nutritional counseling given. Dietary factors affecting therapy addressed
- ☐ Patient instructed to monitor for excessive bruising or bleeding

LMW Heparin
Information

Help

Next Section

Figure 9f

Chart Signed By	<input type="text" value="User id"/>	<input type="text" value="Password"/>
Supervising Physician	<input type="text" value="--Select from below"/>	<input type="checkbox"/> Flag patient for followup phone call
		<input type="button" value="Save"/>
		<input type="button" value="Cancel"/>

Figure 10a

Low Molecular Weight Heparin Administration- Decision Flowchart




Figure 10b

Low Molecular Weight Heparin Administration- Decision Flowchart-cont.




Figure 10C

Low Molecular Weight Heparin Administration Flowchart- cont.,




Figure 10d

Low Molecular Weight Heparin Administration Flowchart- cont.,




Figure //




Figure 12

PRIOR ART

Day 1



Day 2-3



Day 2-5

Patient
undergoes
venipuncture



Sample sent to
laboratory for
INR testing



Results sent
back to Dr's
office



Physician
reviews result,
adjusts Rx



Staff calls pt
with result, Dr
instructions

Figure 13





Figure 14




Year	Country	Population (millions)	Urban population (millions)	Urban population (%)
1950	United States	150	80	53
1950	France	45	25	56
1950	Germany	50	30	60
1950	Japan	80	35	44
1950	India	360	10	3
1950	China	550	20	4
1950	U.S.S.R.	160	40	25
1950	Latin America	250	10	4
1950	Sub-Saharan Africa	200	5	3
1950	Asia (excl. Japan)	400	10	3
1950	World	2500	100	4
1960	United States	160	90	56
1960	France	48	28	58
1960	Germany	52	32	62
1960	Japan	90	40	44
1960	India	380	15	4
1960	China	580	25	4
1960	U.S.S.R.	170	45	26
1960	Latin America	270	15	5
1960	Sub-Saharan Africa	220	10	4
1960	Asia (excl. Japan)	420	15	4
1960	World	2600	120	5
1970	United States	170	100	59
1970	France	50	30	60
1970	Germany	54	35	65
1970	Japan	100	45	45
1970	India	400	20	5
1970	China	600	30	5
1970	U.S.S.R.	180	50	28
1970	Latin America	290	20	7
1970	Sub-Saharan Africa	240	15	6
1970	Asia (excl. Japan)	440	20	5
1970	World	2700	140	5
1980	United States	180	110	61
1980	France	52	32	62
1980	Germany	56	38	68
1980	Japan	110	50	45
1980	India	420	25	6
1980	China	620	35	6
1980	U.S.S.R.	190	55	29
1980	Latin America	310	25	8
1980	Sub-Saharan Africa	260	20	8
1980	Asia (excl. Japan)	460	25	5
1980	World	2800	160	6
1990	United States	190	120	63
1990	France	54	34	63
1990	Germany	58	40	69
1990	Japan	120	55	46
1990	India	440	30	7
1990	China	640	40	6
1990	U.S.S.R.	200	60	30
1990	Latin America	330	30	9
1990	Sub-Saharan Africa	280	25	9
1990	Asia (excl. Japan)	480	30	6
1990	World	2900	180	6


C Use Default Equation $(\text{INR Goal} / \text{Current INR}) \wedge (1/3) + \text{Current Weekly Dosage}$
 G Use New Equation $(\text{INR Goal} / \text{Current INR}) \wedge (1/3) \cdot \text{Current Weekly Dosage}$

THE SYSTEM INCLUDES AS PART OF ITS FUNCTIONALITY, THE ABILITY FOR A USER TO INPUT AND MODIFY DOSING ALGORITHMS FOR THE ADMINISTRATION OF WARFARIN AS PERMITTED BY THE SYSTEM. ANY USE OF A DOSING ALGORITHM MAY AFFECT THE RESULTS GENERATED BY THE SYSTEM. WITHOUT LIMITATION OF THE WARRANTY DISCLAIMERS IN THE END USER LICENSE AGREEMENT, STANDING STONE EXPRESSLY DISCLAIMS ANY LIABILITY OR SYSTEM SUPPORT OBLIGATIONS FOR ANY RESULTS THAT ARE DERIVED FROM ANY SUCH DOSING ALGORITHMS INPUT BY A USER.

Figure 16a


CoagClinic


[Home](#) | [Clinic](#) | [Patient](#) | [Reports](#) | [Tools](#) | [Log Off](#) | [Help](#)


 STANDINGSTONE

- [Patient Search](#)
- [New Patient](#)
- [New Visit](#)
- [Patient Summary](#)
- [Preferences](#)
- [Overdue Patients](#)
- [Patient Schedule](#)
- [Visit Addendum](#)
- [Ad-Hoc Reports](#)
- [Patient Education](#)


Current Medical Regimen

Medication	Dose	Units	#	Frequency	Route	
Aspirin	+		+			+
Amiodarone						Del
Chloral hydrate						Del
Conner						Del
Microsoft Internet Explorer						




This medication (in some cases a medication with similar properties) has been reported to increase the INR and/or anticoagulation effect in patients taking warfarin. Caution should be exercised when using this medication in combination with warfarin. INR measurement may be required more frequently while the patient is on this medication. Frequent INR monitoring is essential when starting or stopping this medication, or when adjusting the dose of this medication for a patient on warfarin.

Figure 116b.



CoagClinic

[Home](#)
[Clinic](#)
[Patient](#)
[Reports](#)
[Tools](#)
[Log Off](#)
[Help](#)


STANDING STONE

[Patient Search](#)
[New Patient](#)
[New Visit](#)
[Patient Summary](#)
[Preferences](#)
[Overdue Patients](#)
[Patient Schedule](#)
[Visit Addendum](#)
[Ad-Hoc Reports](#)
[Patient Education](#)

Current Medical Regimen

Medication	Dose	Units	#	Frequency	Route	
Lozol						+
Amiodarone						Del
Chloral hydrate						Del
<div>  <p> This medication (in some cases a medication with similar properties) has been reported to decrease the INR and/or anticoagulation effect in patients taking warfarin. Caution should be exercised when using this medication in combination with warfarin. INR measurement may be required more frequently while the patient is on this medication. Frequent INR monitoring is essential when starting or stopping this medication, or when adjusting the dose of this medication for a patient on warfarin. </p> </div> <div>OK</div>						






Figure 17b

[Home](#) | [Clinic](#) | [Patient](#) | [Reports](#) | [Tools](#) | [Log Off](#) | [Help](#)

Bartolic, Albert

[Patient](#) | [Visits](#) | [Notes](#) | [PMH](#) | [PrevRX](#) | [Education](#) | [Other Lab Data](#) | [Print](#)

[Patient Search](#) | [New Patient](#) | [New Visit](#) | [Patient Summary](#) | [Preferences](#) | [Overdue Patients](#) | [Patient Schedule](#) | [Visit Addendum](#) | [Ad-hoc Reports](#) | [Patient Education](#)

[CoagClinic](#) | [CholesterolClinic](#) | [HemaClinic](#) | [DMClinic](#) | [All Clinics](#)



Date	INR	Weekly	S	M	T	W	T	F	S	Addendum	LMWH
10/20/01	11	225 mg	5	25	25	25	5	25	25		
10/17/01	18	175 mg	25	25	25	25	25	25	25	10/18/01	
9/19/01	4	15 mg	0	25	25	25	25	25	25		LMWH
9/13/01	11	175 mg	25	25	25	25	25	25	25		LMWH
8/23/01	4	125 mg	25	0	25	25	25	0	25		LMWH
8/21/01	35	15 mg	0	25	25	25	25	25	25		LMWH
7/20/01	4	225 mg	5	25	25	25	5	25	25		LMWH
4/27/01	35	275 mg	5	25	5	25	5	25	5		

[Next Tab](#)

Next Tab

Next Tab

Figure 17e

[Home](#) | [Clinic](#) | [Patient](#) | [Reports](#) | [Tools](#) | [Log Off](#) | [Help](#)

[Patient Search](#)
[New Patient](#)
[New Visit](#)
[Patient Summary](#)
[Preferences](#)
[Overdue Patients](#)
[Patient Schedule](#)
[Visit Addendum](#)
[Ad-Hoc Reports](#)
[Patient Education](#)

[Patient Visits](#) | [Meds](#) | [Notes](#) | [PMH](#) | [PrevRX](#) | [Education](#) | [Other Lab Data](#) | [Print](#)

Bartolic, Albert


Social History
Denies recreational drug use
Drinks 1 oz./Etoh daily
Exercises regularly

Family History
Father - Alcoholism / 303
Mother - Angina, Prinzmetal / 413.1


Patient Events
Atrial Fibrillation / 427.31 - Sep 1999
Atrial Flutter / 427.32 - Aug 2001
Blood in Stool - Aug 2000
D.V.T. / 453.9 - Jul 1992

[Next Tab](#)

Figure 17f


CoagClinic

[Home](#) | [Clinic](#) | [Patient](#) | [Reports](#) | [Tools](#) | [Log Off](#) | [Help](#)



 Standing Alone

Bartolic, Albert

[Patient](#) | [Visits](#) | [Meds](#) | [Notes](#) | [PMH](#) | [PrevRX](#) | [Education](#) | [OtherLabData](#) | [Print](#)


[Patient Search](#)
[New Patient](#)
[New Visit](#)
[Patient Summary](#)
[Preferences](#)
[Overdue Patients](#)
[Patient Schedule](#)
[Visit Addendum](#)
[Ad-Hoc Reports](#)
[Patient Education](#)

Current Medications


Medication	Dose	Units	#	Frequency	Route
acebutolol					
Amiodarone					
Aspirin					
Chloral hydrate					
Cognex					
Cordarone					
Ensure Supplement	1	can			PO
Green Tea					
Levalbuterol	75	mg	2		

Next Tab

Figure 179

**coagclinic**

Home | Clinic | Patient | Reports | Tools | Log Off | Help



STAMPING
Patient Search
New Patient
New Visit
Patient Summary
Preferences
Overdue Patients
Patient Schedule
Visit Addendum
Ad-Hoc Reports
Patient Education

Bartosic, Albert

[Patient](#) | [Visits](#) | [Meds](#) | [Notes](#) | [PMH](#) | [PrevRX](#) | [Education](#) | [OtherLabData](#) | [Print](#)

Patient Education

Latest Date of Education10/20/01 12:50:00 PM

Main Education List

Next Tab

Figure 17h






Figure 17i


**coagelink**

Home | Clinic | Patient | Reports | Tools | Log Off | Help

**STANINGTON**

Patient Search

New Patient

New Visit 

Patient Summary

Preferences

Overdue Patients

Patient Schedule

Visit Addendum

Ad-Hoc Reports

Patient Education

Bartolic, Albert

Patient

Visits

Meets

Notes

PMH

PrevRX

Education

Other Lab Data

Print

Print Progress Notes

Print Visit Summary
in English

Print Visit Summary
in Spanish

Close

Figure 18a

CoagClinic Preference Functions

Modify Patient ID Format	Modify Medical Record Format	Modify Auto-Logoff Time
Change Units of Measurement	Enter/Modify Medicare Amount	Modify Dosage Size
Upload Custom Education Document	Upload Custom Logo	Add/Delete Custom Patient Information
Add/Delete Custom Physician Information	Customize CoagClinic Welcome Screen	Add/Delete Return-to-Days
Add/Delete Medicine Name	Customize CoagClinic Vertical Menu	Customize Warfarin Dosage Equation
Manage Physician Information	Manage Users	Manage LMP-H Information
Manage Text Locations	Manage CoagClinic Diagnoses	Manage Offices
	Update Custom Report Text	

Modify Patient ID Format

Enter Patient ID Format

Instructions You are able to customize format of the Patient ID Number to be used by all clinics. Use the '#' symbol to specify an alphanumeric character, and use any other character to specify its use in the ID. For example, a Patient ID of 3-48484-C would have the format #-####-#.

Modify Medical Record Format

Enter Medical Record Format

Instructions You are able to customize format of the Medical Record Number to be used by all clinics. Use the '#' symbol to specify an alphanumeric character, and use any other character to specify its use in the ID. For example, a Medical Record Number of 48-UG88-1 would have the format ##-####-#.

Modify Auto-Logoff Time

Select Auto-Logoff Time (in minutes)

Instructions By default, the system will automatically log itself off after 20 minutes of inactivity. You are able to modify this time, or set it to 0 if it should never log off automatically.

Define Units of Measurement

Select Units of Measurement

Instructions You can specify how patient data will be presented, either using the Metric System or US Standard. This will only affect data such as patient weight, height, and temperature, and not dosage measurements.

Figure 18b

Enter Medicare Coverage Amount

Enter Medicare Amount

Instructions You are able to enter the dollar amount that Medicare will pay for Warfarin treatment

Set Warfarin Dosage Size

Select Warfarin Dosage Size

Instructions You are able to select the Warfarin dosage size to be used when calculating the daily dosage

Upload Custom Education Document

Enter Document Title

Enter Document Description

Select Document to Upload

Instructions In addition to the default set of documents included with CoagClinic, you are able to upload custom documents for use with patient education. Executable documents (.exe, .dll, .com, .js, .vbs) are prohibited. The file size is limited to 500K bytes.

Upload Custom Logo

Select File to Upload

Instructions You are able to replace the Standing Stone logo with a customized logo in gif or jpg format by uploading the file to the server. The logo file can not exceed 100K bytes, and for optimal quality should have dimensions of 119 x 66 pixels. Uploaded logo files will automatically replace the existing logo. Note: The new logo will take effect on the next login.

Add/Delete Custom Patient Information

Define custom field for patients

Select custom field to delete

Instructions In addition to the standard fields included for patients, you can define custom fields that will show up when "More Information" is selected. In addition, any existing custom patient field can be deleted by selecting it from the drop down box.

Figure 18c

Add/Delete Custom Physician Information

Define custom field for physicians	<input type="text"/>	<input type="button" value="Add"/>
Select custom field to delete	<input type="text" value="Insurance Number"/>	<input type="button" value="Delete"/>

Instructions In addition to the standard fields included for physicians, you can define custom fields that will show up when 'More Information' is selected. In addition, any existing custom physician field deleted by selecting it from the drop down box.

Add/Delete Return-In Days

Enter new 'return-in' value (in days)	<input type="text"/>	<input type="button" value="Add"/>
Select 'return-in' value to delete	<input type="text" value="1"/>	<input type="button" value="Delete"/>

Instructions By default, CoagClinic has a set list of 'return-in' days that the user can select for a patient's visit. You are able to add a new value to this list, as well as delete existing ones.

Add/Delete Medicine Names

Enter new medicine name	<input type="text"/>	<input type="button" value="Add"/>
Select medicine name to delete	<input type="text" value="Abacavir sulfate"/>	<input type="button" value="Delete"/>

Instructions By default, CoagClinic has a set list of medicines that the user can select for a patient's visit. You are able to add a new medicine to this list, as well as delete existing ones.

Additional Customization Options:

[Customize CoagClinic Website Screen](#)

[Customize CoagClinic Verica Menu](#)

[Customize Warfarin Dosage Equation](#)

[Manage Users](#)

[Manage Physician Information](#)

[Manage JMWI Information](#)

[Manage CoagClinic Diagnoses](#)

[Manage Test Locations](#)

[Manage Offices](#)

[Update Custom Report Text](#)